

042205

511,692

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
30 October 2003 (30.10.2003)

PCT

(10) International Publication Number
WO 03/089857 A1(51) International Patent Classification⁷: F25D 3/08

(21) International Application Number: PCT/KR03/00760

(22) International Filing Date: 15 April 2003 (15.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02008539.5 15 April 2002 (15.04.2002) EP

(71) Applicant and

(72) Inventor: YANG, Jung Wook [KR/KR]; #1521 Dae-woo-Maison Livr bldg., Janghang-dong 750-1 Ilsan-gu, Goyang-si Gyeonggi-do 411-830 (KR).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

— with international search report

(74) Agent: KANG, Byung-Kuk; Na-dong 3F, Wooyoung Bldg., Seocho 3-dong 1557-7 Seocho-gu, Seoul 137-837 (KR).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: DEVICE FOR COOLING OBJECT



(57) Abstract: Device for cooling an object according to the present invention, which comprises a deformable sleeve-like body (1) which includes an inner compartment (3) intended to contact the object and housing a non-freezing cooling liquid and an outer compartment (4) surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer dimensions, and wherein the insulator includes a compressible resilient material. The outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption property.

WO 03/089857 A1

DEVICE FOR COOLING OBJECT

FIELD OF THE INVENTION

The invention relates to a device for cooling an
5 object. Such a device is known EP 0 526 928 B1..

DESCRIPTION OF THE PRIOR ART

At the present several devices for cooling an object
are known. One type of a known device for cooling an object
10 comprises a rigid receptacle for receiving the object. The
receptacle is double walled, wherein a temperature fluid is
trapped between an inner and outer wall.

A second type of a known device for cooling an object
comprises a bag containing a cooling liquid or alike. The
15 bag may be applied on or around the object.

A device according the first type referred to above
has as major disadvantage that it is rather clumsy and
space consuming. Generally such a device is only well
suited for cooling one type of objects having specific
20 dimension.

Although a device according to the second type
mentioned above is more flexible in its use, a major
disadvantage is its disability to direct the cold only to
the object to be cooled and not to the surroundings.

25 For solving the disadvantages, there is known one
invention disclosed in EP 0 526 928 B1 which comprises a
deformable sleeve-like body which includes an inner
compartment intended to contact the object and housing a
non-freezing cooling liquid and an outer compartment
30 surrounding the inner compartment and housing an insulator,

wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer dimensions, and wherein the insulator includes a compressible resilient material, and the outer
5 compartment is communicated with the surroundings through at least one opening.

If the device is applied around the object having an outer diameter necessitating a larger inner diameter of the sleeve-like body the inner compartment contacting the
10 object is pressed outwardly, such that the outer compartment is deformed while compressing the resilient material. The air in the outer compartment is vented through the opening. Therefore, the compressible resilient material on the one hand enables a change of the inner
15 diameter of sleeve-like body and on the hand ensures, through its resiliency, a positive engagement of the inner wall of the inner compartment on the object to be cooled. Deforming the outer compartment is made possible by the opening, allowing the air to escape. If the object is
20 removed from the sleeve-like body the resilient material will resume its original shape and air is sucked in through the opening.

Unfortunately, the device has the disadvantage that, air in the outer compartment can not be easily and rapidly
25 vented through the opening because tearing may be occurred in the outer compartment, for example from the opening provided in the outer compartment due to feature of itself material, that is feature of elastic foil, so that number and size of the opening are limited.

30 Further, the device has the disadvantage that, water

drops may be condensed on an outer surface of the outer compartment since the outer compartment has no water absorption property although the outer wall of the outer compartment is made of a material having low heat transferability.

SUMMARY OF THE INVENTION

It is the object of this invention to provide a new and improved device for cooling an object in which the disadvantages of the known device have been avoided.

The object can be achieved by a device for cooling an object according to the present invention, which comprises a deformable sleeve-like body which includes an inner compartment intended to contact the object and housing a non-freezing cooling liquid and an outer compartment surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer dimensions, and wherein the insulator includes a compressible resilient material, characterized in that the outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption property.

BRIEF DESCRIPTION OF THE DRAWING

Fig. 1 shows in a perspective view an embodiment of the device according to the invention.

Fig. 2 shows on a larger scale, the device fig. 1 in an elevational view.

Fig. 3 shows a cross-sectional view according to III-III

in fig. 2.

Fig. 4 shows a cross-sectional view of fig. 3, after the device has been positioned around an object.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The device for cooling an object shown in fig. 1 consists of a deformable sleeve-like body 1. A bottle 2 shown by dotted line in fig. 1 has been indicated around which this sleeve-like body 1 may be positioned.

As clearly illustrated in fig. 3, the sleeve-like body 1 comprises a number of inner compartments 3. Further the sleeve-like body 1 comprises six outer compartments 4.

The inner compartments 3 and outer compartments 4 are separated by a partition wall 5. Each inner compartment 3 accommodates a non-freezing cooling liquid and each outer compartment 4 accommodates an insulator 7 made of a compressible resilient material, such polyester foam. The outer compartments 4 are manufactured of cloth having air-permeability, elasticity and water absorption property.

In the state of fig. 1, the sleeve-like body 1 is in a relax position and not positioned around an object such as the bottle 2 to be cooled. In this position, the compressible resilient material 7 is expanded, whereas the inner compartments 3 extend inwardly from the sleeve-like body 1.

If the cooling device according to the invention is positioned around the bottle 2, the inner compartments 3 are pressed outwardly by contacting with the bottle 2. Because of the fact that the volume of the cooling liquid does not change the partition wall 5 is pushed outwardly

together with the inner compartments 3. The outer wall 8 of the outer compartments 4 will resist the outwardly directing movement, so that the resilient material 7 housed in the outer compartments 4 will be compressed between the inner compartments 3 and the outer compartments 4, as shown in fig. 4. The amount of outward movement of the inner compartments 3 and thus the amount of the compression of the resilient material 7 will depend on the diameter of the bottle 2.

Because of the resiliency of the resilient material 7, the inner wall 9 of the inner compartments 3 contacts closely with the outer surface of the bottle 2, as shown in fig. 3. Therefore, an effective heat transfer occurs between the inner wall 9 of the inner compartments 3 and the bottle 2.

When the resilient material 7 is compressed, air contained in the outer compartments 4 escapes from the entire outer surface thereof while the outer compartments 4 made of cloth having elasticity is slightly extended, since the outer compartments 4 are manufactured with cloth having air-permeability, according to the invention.

For collecting drops of condensating water, the sleeve-like body 1 may be neat to its end 12 be provided with an inwardly extending collar (not shown). Further, since the outer compartments 4 are manufactured of cloth having water absorption property, water drops can be condensed on the outer compartments 4.

As known from the above, the device for cooling an object according to the invention is manufactured cloth along with plastic foils available on the markets. For

creating these compartments 3, 4, cloth for forming the outer compartments 4 and plastic foils for forming the inner compartments 3 are welded together at welding lines 13. Directly adjacent to these welding lines 13, the inner
5 compartments 3 may be partly evacuated, such that they are not completely filled with cooling liquid. This enhances the deformity of the sleeve-like body 1.

Preferably, the inner wall 9 of the inner compartments 3 is manufactured of a thin material having
10 excellent heat transferability, whereas the outer compartments 4 are manufactured of a material such as cloth having low heat transferability. Further, it is preferable that inner wall 9 of the inner compartments 3 is manufactured of an elastic material.

15 Further, the device of the present invention is continually in direct intimate contact with and places pressure upon the object which is to be cooled. The cooling period can also be controlled by the manner in which the inner wall of the inner compartments contacts the object to
20 be cooled. The less the elements are pressed against the object the longer the cooling cycle. As pointed out, the compartments may be designed to fit a single diameter or outer shape of a bottle or can or maybe flexible to accommodate several different sizes. If desired,
25 temperature sensitive print could be placed on the sleeve-like body that change color within a certain temperature range to provide an indication of the temperature being transferred to the object which is being cooled.

As the above mentioned, according to the invention,
30 since the outer compartments are manufactured of cloth

having air-permeability, elasticity and water absorption property, it is possible to prevent the outer compartments from tearing and to prevent water drops from condensing on the outer compartments.

5 It will be apparent that many applications will lend themselves to utilization of this invention. Although the invention is particularly suited for cooling canned or bottled beverages, the invention could be utilized for keeping items warm and in medical applications for applying
10 heating or cool compresses to an area of an injured victim.

 Since other changes and modifications varied to fit particular operating requirements and environments will be apparent to those skilled in the art, the invention is not considered limited to the examples chosen for purposes of
15 illustration, and includes all changes and modifications which do not constitute a departure from the true spirit and scope of this invention as claimed in the following claims and equivalents thereto.

What is claimed is:

1. Device for cooling an object according to the present invention, which comprises a deformable sleeve-like body (1) which includes an inner compartment (3) intended
5 to contact the object and housing a non-freezing cooling liquid and an outer compartment (4) surrounding the inner compartment and housing an insulator, wherein the sleeve-like body has a variable inner diameter, which allows an adjustment thereof to objects having different outer
10 dimensions, and wherein the insulator includes a compressible resilient material, characterized in that the outer compartment is manufactured of cloth having air-permeability, elasticity and water absorption property.

Fig.1




Fig.2




Fig.3





Fig. 4



INTERNATIONAL SEARCH REPORT

International application No.
PCT/KR03/00760

A. CLASSIFICATION OF SUBJECT MATTER**IPC7 F25D 3/08**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 F25D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
Korean patents and applications for invention since 1975, Korean utility models and applications for utility models since 1975
Japanese utility models and applications for utility models since 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
eKIPASS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4989418 A (KENNETH M. HEWLETT) 5 FEBRUARY 1991 See column 2, line 44 - column 3, line 33; figures	1
Y	US 4831842 A (JAMES T. KELLY; JAMES E. BARLOW) 23 MAY 1989 See column 2, line 60 - column 4, line 26; figures 1, 4, 6	1
Y	JP 05-254572 A (MUSASHI KASEI KOGYO KK) 5 OCTOBER 1993 See column 4, line 10 - column 5, line 10; figures	1
A	US 5313807 A (MICHELLE L. OWEN) 24 MAY 1994 See the whole document; figures	1
A	US 4344303 A (C. BRANTLEY KELLY, JR.) 17 AUGUST 1982 See column 2, line 29 - column 5, line 14; figures 1, 2, 3, 5	1
A	JP 06-337189 A (NIPPON SHOKUBAI CO LTD) 6 DECEMBER 1994 See the whole document; figures	1
A	JP 06-073677 U (NAKAMURA MICHI) 18 OCTOBER 1994 See the whole document; figures	1

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

26 JUNE 2003 (26.06.2003)

Date of mailing of the international search report

27 JUNE 2003 (27.06.2003)

Name and mailing address of the ISA/KR



Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

LEE, Seok Bum

Telephone No. 82-42-481-5511

